



GRUINSA

GRUAS


40t

TEREX DEMAG 40





*abgesenkt




() = Radius all wheels steered

R= Dirección en todos los ejes / All-wheel steering
(*) suspensión abajo / lowered

TEREX DEMAG 40

DIAGRAMA DE ALCANCE / WORKING RANGES

40t




TEREX DEMAG 40

DIAGRAMA DE ALCANCE / WORKING RANGES

GRUINSA
GRUAS

40t



TEREX DEMAG 40

CAPACIDADES DE CARGA



7,8-31,2m



fix



6,2x6,35m



360°

	7,8	10,7	13,6	19,5	25,3	28,4	31,2	
3	40*							3
3	34,3	25	21					3
3,5	32,4	25	21					3,5
4	30,5	25	21	16				4
4,5	28,3	25	20,7	16				4,5
5		24	19,7	16				5
6		20,3	17,9	16	14			6
7		17	16	15,3	13,2	11,1		7
8			15,4	14	12,2	10,8	9	8
9			12,6	12,3	11,2	10,1	8,8	9
10			10,5	10,3	10,3	9,4	8,3	10
12				8,1	7,6	7,6	7,3	12
14				6,3	5,9	6	5,9	14
16				5,1	5	4,9	4,7	16
18					4,3	4	3,8	18
20					3,5	3,4	3,1	20
22					3	2,8	2,6	22
24						2,3	2,1	24
26							1,7	26
28							1,4	28



7,8-31,2m



fix



4,4x6,35m



360°

	7,8	10,7	13,6	19,5	25,3	28,4	31,2	
3	34,3	25	21					3
3,5	31,2	25	21					3,5
4	28,3	25	21	16				4
4,5	23,8	23	20,7	16				4,5
5		18,4	18	16				5
6		13	14,4	14,2	13,6			6
7		9,8	11,1	11,4	10,9	10,8		7
8			8,9	9,2	8,7	8,8	8,8	8
9			7,3	7,6	7,7	7,4	7,2	9
10			6,2	6,4	6,5	6,3	6,1	10
12				4,8	4,9	4,7	4,5	12
14				3,7	3,8	3,6	3,4	14
16				3	3	2,8	2,7	16
18					2,5	2,3	2,1	18
20					2,1	1,8	1,7	20
22					1,7	1,5	1,3	22
24						1,2	1	24
26							0,8	26
28							0,6	28

TEREX DEMAG 40

CAPACIDADES DE CARGA



7,8-19,5m



2,34x6,35m



fix



360°



75%

	7,8	10,7	13,6	19,5	
4	11,8	11,2	12,6	12,9	4
4,5	9,8	9,2	10,5	10,8	4,5
5		7,7	8,9	9,2	5
6		5,7	6,7	7	6
7		4,3	5,3	5,5	7
8			4,3	4,5	8
9			3,6	3,8	9
10			3	3,2	10
12				2,3	12
14				1,7	14
16				1,3	16



7,8-13,6m



fix



on lines



360°

	7,8	10,7	13,6	
4,5	5,9	5,4	6,6	4,5
5		4,7	5,8	5
6		3,6	4,7	6
7		2,8	3,8	7
8			3,1	8
9			2,6	9
10			2,2	10